

Appendix A Recommended format for submissions

To assist Gas Industry Co in the orderly and efficient consideration of stakeholders’ responses, a suggested format for submissions has been prepared. This is drawn from the questions posed in the body of this Consultation Paper. Submitters are also free to include other material on the exemption applications in their responses.

Submission from: M-co Ltd, alla@m-co.co.nz (company name and contact)

Question	Comment
<p><i>Q1: Do submitters have any comments on the exemption DR09-09-S proposed by Vector regarding the requirements of rule 41 and 42 (and as a consequence rules 31 and 48)?</i></p>	<p>As per previous comments, the main issue for the allocation agent is having sufficient time between gate closure and publication. M-co’s main concern is to maintain the 24 hour time allowance between 1200 gate closure on day 4, and 1200 publication of allocation results on day 5.</p>
<p><i>Q2: Do submitters have any comments on the exemption application DR09-10-T from Vector regarding the oversized meters at the following gas gates: Flockhouse FLH21901, Te Teko TTK30601 and Rainbow Mountain RBM03101?</i></p>	<p>M-co has no objection to the mentioned gas gates becoming exempt.</p>
<p><i>Q3: Do submitters have any comments on the exemption application DR09-11-S from Vector regarding the 9 nominated unmetered gas gates?</i></p>	<p>There will be no operational impact on M-co if the 9 mentioned gas gates remain unmetered and exempt from the provision of injection information.</p> <p>If the nine nominated unmetered gas gates remain unmetered, and it is deemed necessary to amend the algorithm used to estimate injection data (due to TOU consumption and negative GGRP values at Waverley WVY23601 and Papakura 3 PAP06603), an allocation system change would be required.</p> <p>A full cost analysis would need to be provided on request, but a basic estimate is 3 days work or about \$4,500.</p>